D.BIANCO

www.dbianco.com.au
email: info@dbianco.com.au



# Festif Linear 1600

# Festif Linear 1600

## REQUIREMENTS

• Low Voltage (24VDC) – Do not wire directly to mains power
• Must be installed with the supplied remote driver
• Must be installed with junction boxes or strong support (junction box is not included)
• Cut-out hole 100-115 mm (varies with junction box size)
• Installation must be carried out by a licensed electrician

## APPLICATIONS

• Indoor use only

• Suitable for living room, dining table, bar, kitchen island, entryway, hotels, and restaurants

## TYPE OF LIGHTING

Ambient and task lighting (depending on installation height and LED colour)

## MATERIALS

Solid brass, braided fabric cover over flexible LEDs

## METAL FINISHES

Brushed Australian Brass, Satin Chrome, Brushed Copper, Satin Nickel, Satin Bronze Dark, Satin Bronze Medium

## WARRANTY

- 4 years (residential)
- 2 years (commercial)

## DESIGN & MANUFACTURE

Designed and made in Sydney, Australia by D.Bianco

## TECHNICAL DATA

- IP Rating: IP20
- CRI: 98
- Lumen Output: 1800 lm per metre
- Dimmable: Yes (DALI, Triac)
- LED Replaceable: Yes
- Voltage: 24 VDC
- Wattage: 15 W per metre
- LED Colour Options: 2700 K, 3000 K, 4000 K
- Drivers: 100 W (per 5 metre) – Included
- Driver Dimensions: approx 190 × 50 × 30 mm
- LED Lifespan: 50,000 hours
- Certifications: AS/NZS 60598.2, 3820, 61347, 4879, 3000; EN IEC 60598-2-1; UL 1598 / CSA C22.2 No. 250.0 / ANCE NMX J 307/1

# Festif Linear 1600




NOTE: The overall length and drop are approximate and may vary with the design arrangement of the braided LED rope.