




American Oak

White Ash

Maple

Victorian Ash

Black Oak

Omri

REQUIREMENTS

- Low Voltage (24VDC) – Do not wire directly to mains power
- Must be installed with the supplied remote driver
- Not compatible with junction boxes
- Cut-out hole 22.2 mm
- Installation must be carried out by a licensed electrician

APPLICATIONS

- Indoor use only
- Suitable for bedroom, entryway, dining table, living room, kitchen island, hotels, and restaurants

TYPE OF LIGHTING

Ambient and task lighting (depending on installation height and LED colour)

TECHNICAL DATA

- IP Rating: IP20
- CRI: 98
- Lumen Output: 2520 lm
- Dimmable: Yes (DALI, Triac)
- LED Replaceable: Yes
- Voltage: 24 VDC
- Wattage: 21 W
- LED Colour Options: 2700 K, 3000 K, 4000 K
- Drivers: 60 W – Included
- Driver Dimensions: approx 190 × 50 × 30 mm
- LED Lifespan: 50,000 hours
- Certifications: AS/NZS 60598.2, 3820, 61347, 4879, 3000; EN IEC 60598-2-1; UL 1598 / CSA C22.2 No. 250.0 / ANCE NMX J 307/1

MATERIALS

Timber, solid brass, braided fabric cover over flexible LEDs, thin braided cable

METAL FINISHES

Natural Brass, Brass H59, Brushed Copper, Satin Bronze Dark, White Coating, Satin Nickel, Satin Chrome

TIMBER SELECTIONS

American Oak, White Ash, Maple, Victorian Ash, Black Oak

WARRANTY

- 4 years (residential)
- 2 years (commercial)

DESIGN & MANUFACTURE

Designed and made in Sydney, Australia by D.Bianco

