# Stella

















www.dbianco.com.au email: info@dbianco.com.au

### Stella

#### REQUIREMENTS

- Low Voltage (24VDC) Do not wire directly to mains power
- Must be installed with the supplied remote driver
- Not compatible with junction boxes
- Cut-out hole 22.2 mm
- Installation must be carried out by a licensed electrician

#### **APPLICATIONS**

- Indoor use only
- Suitable for dining table, living room, kitchen island, entryway, hotels, and restaurants

#### TYPE OF LIGHTING

Ambient and task lighting (depending on installation height and LED colour)

#### **TECHNICAL DATA**

• IP Rating: IP20

• CRI: 98

Lumen Output: 7560 lmDimmable: Yes (DALI, Triac)

LED Replaceable: Yes

Voltage: 24 VDCWattage: 126 W

LED Colour Options: 2700 K, 3000 K, 4000 K

Drivers: 150 W - Included

• Driver Dimensions: approx 190 × 50 × 30 mm

LED Lifespan: 50,000 hours

Certifications: AS/NZS 60598.2, 3820, 61347, 4879, 3000; EN IEC 60598-2-1; UL

1598 / CSA C22.2 No. 250.0 / ANCE NMX J 307/1

#### **MATERIALS**

Timber, solid brass, braided fabric cover over flexible LEDs, thin braided cable

#### METAL FINISHES

Natural Brass, Brass H59, Brushed Copper, Satin Bronze Dark, Satin Chrome, Satin Nickel, White Coating

#### TIMBER SELECTIONS

American Oak, White Ash, Maple, Victorian Ash, Black Oak, Gold Leaf

#### WARRANTY

- 4 years (residential)
- 2 years (commercial)

#### **DESIGN & MANUFACTURE**

Designed and made in Sydney, Australia by D.Bianco



## Stella





